

# COLOUR SELECTOR



[theplasticshop.co.uk](http://theplasticshop.co.uk)<sup>®</sup>

# PICK A COLOUR, ANY COLOUR

Perspex® acrylic is synonymous with creativity and eye-catching designs from promotional displays to engineering components.

Stocking hundreds of colour variants, Perspex Distribution has been the go to company for rigid substrates for well over 17 years.

The beauty of Perspex® cast acrylic is the flexibility to enjoy a multitude of colours, effects, thicknesses and finishes. No matter what colour you choose; each sheet will retain all of the exceptional quality performance characteristics of Perspex® acrylic, ensuring your designs can reach their full potential. As part of the UK manufacturing group of Perspex® Cast Acrylic, we offer unrivalled access to the UK's largest range of cast acrylic. Its versatility enables it to be bent, polished, cut, printed or illuminated to create the ideal finish.

Perspex® acrylic has been manufactured in the UK for over 85 years and this expertise includes our in-house colour experts, on hand to develop new colours and effects. Our product range not only follows technical innovation but we also track colour trends and fashions to develop new stocked colours.



Light Transmission % Based on 3mm thickness.  
T within product code denotes Constant Light Transmission.

Product information is subject to change. All colours shown are as accurate as the printing process will allow. We recommend that where an accurate colour sample is needed before placing an order, that you obtain a sample. If you would like to order a sample of any of the colours shown here, you can do this via our website at [www.theplasticshop.co.uk](http://www.theplasticshop.co.uk)

## BESPOKE COLOUR CREATION

Due to its unique manufacturing process, it is possible to create bespoke colours and effects in small volumes making unique projects achievable.


Many projects require a specific colour scheme, whether matching a pantone colour for a brand or looking to match to a colour palette of a new range of products, versatility and variety are the key.

Our in-house colour laboratory is home to an ever growing library of colours; whatever shade you are looking for, our colour technologists are available to brand-match or create new and bespoke hues, tailored to your individual project requirements.





## PERSPEX® CLEAR




Colour: Clear  
Code: 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 0-50  
Light Transmission (%): 92



Colour: Opal  
Code: 028  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 4, 5, 6  
Light Transmission (%): 25



Colour: Opal  
Code: 030  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-15  
Light Transmission (%): 67



Colour: Opal  
Code: 040  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-10  
Light Transmission (%): 46



Colour: Opal  
Code: 050  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-10  
Light Transmission (%): 36



Colour: Opal  
Code: 069  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-15  
Light Transmission (%): 9



Colour: White  
Code: 1212  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): <1



Colour: White  
Code: 1T04  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 30



Colour: White  
Code: 1T67  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 21

## PERSPEX® OPAL / WHITES






Colour: Ivory  
Code: 133  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 29



Colour: Yellow  
Code: 229  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 19



Colour: Yellow  
Code: 260  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 19



Colour: Yellow  
Code: 261  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 29



Colour: Yellow  
Code: 2252  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 21




Colour: Orange  
Code: 363  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 4



Colour: Red  
Code: 431  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3



Colour: Red  
Code: 433  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 2



Colour: Red  
Code: 440  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3



Colour: Red  
Code: 4403  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8



Colour: Red  
Code: 4494  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): < 1



Colour: Red  
Code: 4415  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 6



Colour: Brown  
Code: 543  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0



Colour: Green  
Code: 650  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 3



Colour: Green  
Code: 692  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 21



Colour: Green  
Code: 6205  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 7



Colour: Green  
Code: 6T81  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 15



Colour: Blue  
Code: 727  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 5



Colour: Blue  
Code: 743  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 4



Colour: Blue  
Code: 744  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): <1



Colour: Blue  
Code: 750  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 2



Colour: Blue  
Code: 751  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 2



Colour: Blue  
Code: 7033  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 8




Colour: Violet  
Code: 886  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 4




Colour: Grey  
Code: 9981  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8



Colour: Black  
Code: 962  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3 - 15  
Light Transmission (%): 0  
\*Infrared Transmitting




Colour: Black  
Code: 9T30  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 6, 8  
Light Transmission (%): 0



Colour: Yellow  
Code: 2202  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 86



Colour: Amber  
Code: 300  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 38



Colour: Red  
Code: 4401  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8




Colour: Brown  
Code: 504  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 53



Colour: Green  
Code: 6600  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 14



Colour: Glass-Look  
Code: 6T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3-10  
Light Transmission (%): 90



Colour: Blue  
Code: 7703  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8




Colour: Blue  
Code: 7704  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 83




Colour: Neutral  
Code: 901  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 61

## PERSPEX® TRANSPARENT COLOURS AND TINTS



Colour: Neutral  
Code: 923  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 14



Colour: Neutral  
Code: 9T13  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 6, 8  
Light Transmission (%): 54



Colour: Neutral  
Code: 9T20  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 6, 8  
Light Transmission (%): 36



Colour: Neutral  
Code: 9T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6 - 15  
Light Transmission (%): 41



Colour: Neutral  
Code: 9T56  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6, 8, 10, 12  
Light Transmission (%): 46

## PERSPEX® TEXTURES

## PERSPEX® FROST



Colour: Crystal Clear  
Code: S2 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3 - 15  
Light Transmission (%): 85



Colour: Polar White  
Code: S2 030  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3 - 15  
Light Transmission (%): 60



Colour: Citrus Yellow  
Code: S2 2T07  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 75



Colour: Lemon Sorbet  
Code: S2 2T30  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 34



Colour: Saffron Yellow  
Code: S2 2T53  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 63



Colour: Mandarin Orange  
Code: S2 3T17  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 33





Colour: Blush Pink  
Code: S2 4T46  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 45



Colour: Chilli Red  
Code: S2 4T50  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 17



Colour: Raspberry Red  
Code: S2 4T97  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 29



Colour: Sandstone Brown  
Code: S2 5T18  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 54



Colour: Earth Brown  
Code: S2 5T33  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 10



Colour: Glacier Green  
Code: S2 6T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 8, 10  
Light Transmission (%): 82



Colour: Emerald Green  
Code: S2 6T59  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 13



Colour: Lime Zest  
Code: S2 6T9A  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 42



Colour: Azure Blue  
Code: S2 7T1F  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 32



Colour: Sapphire Blue  
Code: S2 7T28  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 8



Colour: Aurora Violet  
Code: S2 7T58  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 36



Colour: Electric Blue  
Code: S2 7T69  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 64

## PERSPEX® FROST



Colour: Arctic Blue  
Code: S2 7T77  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 68



Colour: Violet Heather  
Code: S2 8T14  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 62



Colour: Perfect Plum  
Code: S2 8T15  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 20



Colour: Stone Grey  
Code: S2 9T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 38



Colour: Slate Grey  
Code: S2 9T23  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 13

## PERSPEX® SILK



Colour: Clear  
Code: SK 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 10  
Light Transmission (%): 91



Colour: Opal / White  
Code: SK 040  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 44



Colour: Opal  
Code: SK 050  
Dimensions (mm): 3050x2030  
Thickness (mm) 3, 5  
Light Transmission (%): 35%

## PERSPEX® IMPRESSIONS



Colour: Clear  
Code: P1 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 88



Colour: Opal  
Code: P1 030  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 43




Colour: Red  
Code: P1 4T1B  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 13

## PERSPEX® IMPRESSIONS



Colour: Brown  
Code: P1 5T23  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 27



Colour: Glass Look  
Code: P1 6T21  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 86




Colour: Green  
Code: P1 6T5C  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 55



Colour: Violet  
Code: P1 8T23  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 15



Colour: Grey  
Code: P1 9T1D  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 25



Colour: Black  
Code: P1 9221  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0

## PERSPEX® NATURALS



Colour: Moonlight White  
Code: S2 1T41  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 3



Colour: Desert Beige  
Code: S2 5268  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Walnut Brown  
Code: S2 5269  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0



Colour: Ash Grey  
Code: S2 9642  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0



Colour: Midnight Black  
Code: S2 9221  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5, 10  
Light Transmission (%): 0



Colour: Mineral Grey  
Code: S2 9643  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 0




## PERSPEX® SWEET PASTELS



Colour: Lemon Bonbon  
Code: SA 2170  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Orange Fizz  
Code: SA 3143  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Raspberry Sherbet  
Code: SA 4274  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Spearmint Green  
Code: SA 6382  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Candy Floss Blue  
Code: SA 7489  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Bubblegum Blue  
Code: SA 7490  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Parma Violet  
Code: SA 7562  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Sour Grape  
Code: SA 7563  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Coral Candy  
Code: SA 4287  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 0

## PERSPEX® PYRAMID



Colour: Clear  
Code: PY 0000  
Dimensions(mm): 2000 x 1200  
Thickness (mm): 3  
Light Transmission (%): 84

## PERSPEX® FLOURESCENT



Colour: Celestial Blue  
Code: 021  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 92



Colour: Helios Yellow  
Code: 2T51  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 76



Colour: Lava Orange  
Code: 3T19  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 27



Colour: Mars Red  
Code: 4T56  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 12



Colour: Acid Green  
Code: 6T66  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 86



Colour: Neptune Blue  
Code: 7T97  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 74

## PERSPEX® EFFECTS

## PERSPEX® HIGHLIGHTS



Colour: Fiesta Yellow  
Code: 2T80  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 56



Colour: Carnival Orange  
Code: 3T56  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 29



Colour: Flamenco Pink  
Code: 4T5F  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 22



Colour: Luau Green  
Code: 6T2H  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 43

## PERSPEX® VARIO



Colour: Tropical Yellow  
Code: 2T45  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 91



Colour: Caribbean Peach  
Code: 3T31  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 88



Colour: Honolulu Pink  
Code: 4T87  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 84



Colour: Lagoon Green  
Code: 6T95  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 89




Colour: Cascade Blue  
Code: 7T5D  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 86




Colour: Passion Flower Violet  
Code: 8T10  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 85

## PERSPEX® METROPOLITAN



Colour: Moscow White  
Code: 1T80  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 91



Colour: Tokyo Brown  
Code: 5T48  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 84



Colour: London Grey  
Code: 9T3C  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 88



Colour: Manhattan Black  
Code: 9T4C  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 80



## PERSPEX® ROYALS



Colour: King Henry Red  
Code: SK 4PY2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1



Colour: Queen Marie Gold  
Code: SK 5PY8  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1



Colour: Queen Isabella Green  
Code: SK 6PY0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1



Colour: Queen Elizabeth Blue  
Code: SK 7PY0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1



Colour: King George Purple  
Code: SK 8PY0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1



Colour: King Louis Silver  
Code: SK 9PY5  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): <1

## PERSPEX® PEARLESCENT



Colour: Pearl  
Code: 1PY1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 20



Colour: Candy  
Code: 4PY5  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 6



Colour: Caramel Gold  
Code: 5PY0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 2



Colour: Azure  
Code: 7PY3  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 8



Colour: Platinum  
Code: 9PY2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 10

## PERSPEX® SPARKLE



Colour: Entrancing Green  
Code: 6SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0



Colour: Gleaming Violet  
Code: 8SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0



Colour: Shimmering Black  
Code: 9SP0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 5  
Light Transmission (%): 0

## PERSPEX® DUO



Colour: Gold  
Code: 5YY9  
Dimensions(mm): 2030 x 1270  
Thickness (mm): 3  
Light Transmission (%): 0



Colour: Silver  
Code: 9YY1  
Dimensions(mm): 2030 x 1270  
Thickness (mm): 3  
Light Transmission (%): 0

## PERSPEX® CORAL



Colour: Black / Silver  
Code: 9CL0  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 0



Perspex® acrylic colours on display at K Show, Germany.  
Photo © Philip Kistner Fotografie, Philipkistner.com.





Colour: Clear  
Code: E03B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4, 5, 6  
Light Transmission (%): 90



Colour: Clear  
Code: E06B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4, 5, 6  
Light Transmission (%): 90



Colour: Clear  
Code: E09B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4  
Light Transmission (%): 90



Colour: Clear  
Code: E12B  
Dimensions(mm): 2550 x 1800  
Thickness (mm): 4  
Light Transmission (%): 90



Colour: Opal  
Code: D2 DF60  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 60



Colour: Opal  
Code: D2 DF70  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 70



Colour: Opal  
Code: D2 DF80  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2, 2.5  
Light Transmission (%): 80



Colour: Opal  
Code: D2 DF90  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 90

## PERSPEX® REFLECT



Colour: Opal  
Code: 1T8A  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 2.5  
Light Transmission (%): 4

## PERSPEX® G-LUX / S-LUX



Colour: G-Lux  
Code: G005  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 4  
Light Transmission (%): 89




Colour: G-Lux  
Code: G015  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6  
Light Transmission (%): 89



Colour: G-Lux  
Code: G025  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 6  
Light Transmission (%): 89




Colour: G-Lux  
Code: G035  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 8  
Light Transmission (%): 89



Colour: S-Lux  
Code: SL 000  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 8, 10  
Light Transmission (%): 89


## PERSPEX® SPECTRUM LED



Colour: Opal  
Code: 1TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 36




Colour: Opal  
Code: 1TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 5  
Light Transmission (%): 48



Colour: Yellow  
Code: 2TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 22


## PERSPEX® SPECTRUM LED



Colour: Yellow  
Code: 2TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 30



Colour: Orange  
Code: 3TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 13



Colour: Pink  
Code: 4TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 8



Colour: Red  
Code: 4TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 5



Colour: Red  
Code: 4TL3  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 6



Colour: Green  
Code: 6TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 15



Colour: Green  
Code: 6TL2  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 13



Colour: Blue  
Code: 7TL1  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 6



Colour: Opal / White  
Code: 1T77  
Dimensions(mm): 3030 x 2030  
Thickness (mm): 10, 15, 20, 30  
Light Transmission (%): 35

## PERSPEX® SECRET SIGN



Colour: Black / White  
Code: SA 9T25  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3  
Light Transmission (%): 16




Colour: Clear  
Code: VA 004  
Dimensions(mm): 3050 x 2030  
Thickness (mm): 3, 4, 5  
Light Transmission (%): 92



Colour: Clear  
Code: VE 003  
Dimensions(mm): 3050 x 2030  
Thickness (mm): MTO  
Light Transmission (%): 92

## PERSPEX® METALLICS


Our selection of Perspex® Metallic colours offer alternatives to metal with the fabrication benefits of cast acrylic. Please contact your local branch for stock availability.  
Standard sheet size 2030 x 1540 3mm.




ALUMINIUM 3870




ALUMINIUM 9870




ANTIQUE GOLD 9625




BRASS 3625



GOLD 9918



PEARL 9809



TITANIUM 9874





Visit [www.theplasticshop.co.uk](http://www.theplasticshop.co.uk) to request samples of our materials or to find out more.